

**To:** Hedrick, Elizabeth[Hedrick.Elizabeth@epa.gov]  
**From:** Gallardo, Vincent  
**Sent:** Thur 3/13/2014 2:02:49 PM  
**Subject:** RE: Decontamination Report

Hi Elizabeth,

Sorry for not getting back to you earlier, but yes, early on I was pulled in for the Region 3 work. I think more recently, Matthew Magnuson and Jeff Szabo have been fielding questions.

And yes it was fine to tell them to contact me. I'd be happy to do anything I can to help.

Vince

Vicente J. Gallardo

National Homeland Security Research Center  
US EPA, Mail Stop NG16  
26 W. Martin Luther King Dr.  
Cincinnati, OH 45268  
(ph) 513-569-7176  
(fax) 513-569-2559  
gallardo.vincente@epa.gov

**From:** Hedrick, Elizabeth  
**Sent:** Monday, March 03, 2014 3:51 PM  
**To:** Gallardo, Vincent  
**Subject:** RE: Decontamination Report

Vince,

Great information and work. I forwarded your email to some Region 3 contacts (Vicky Binetti and Bill Arguto) who are responding to the West Virginia MCHM spill. Have you been pulled into any discussions with Region 3? I told them they could contact you or the NIST contact if

they had more questions. Hope that is okay.

I look forward to reading the report.

Thanks,

Elizabeth

Water Security Division

Office of Ground Water and Drinking Water

U.S. Environmental Protection Agency

26 West Martin Luther King Drive

MS 140

Cincinnati, Ohio 45268

Ph (513) 569-7296

Fax (513) 569-7191

**From:** Gallardo, Vincent

**Sent:** Monday, March 03, 2014 3:11 PM

**To:** Hedrick, Elizabeth

**Subject:** RE: Decontamination Report

Hi Elizabeth,

An executable version of the model is available on NIST's web site. It's been a while since I took a look at it.

## Ex. 5 - Deliberative

Mark Kedzierski of NIST ([mark.kedzierski@nist.gov](mailto:mark.kedzierski@nist.gov), 301-975-5282 ) was the main developer of this program. He can give you additional insight into the model.

Let me know if I can be of more help.

Vince

Vicente J. Gallardo

National Homeland Security Research Center  
US EPA, Mail Stop NG16

26 W. Martin Luther King Dr.  
Cincinnati, OH 45268  
(ph) 513-569-7176  
(fax) 513-569-2559  
[gallardo.vincente@epa.gov](mailto:gallardo.vincente@epa.gov)

**From:** Hedrick, Elizabeth  
**Sent:** Monday, March 03, 2014 8:10 AM  
**To:** Gallardo, Vincent  
**Subject:** Decontamination Report

Hi Vince,

I ran across this (<http://fire.nist.gov/bfrlpubs/build08/PDF/b08025.pdf>) with you named as the PO. I was wondering what ever came of the model development on flushing.

Thanks,

Elizabeth

Water Security Division  
Office of Ground Water and Drinking Water  
U.S. Environmental Protection Agency  
26 West Martin Luther King Drive  
MS 140  
Cincinnati, Ohio 45268

Ph (513) 569-7296

Fax (513) 569-7191